

TECHNICAL DATA SHEET

Business Machines & Supplies - Laminating machines



GENERAL INFORMATION

KF number	KF19091
Description	A4 Standard laminator - EU plug (QA4s3)
Country of origin	China
Intrastat number	84729090
Customs code	84729090
Eclass	24321501
Legislations	CE UKCA WEEE List of importers

TECHNICAL INFORMATION

Extra:	Jam release
format:	up to A4 format
indication lights:	ready / pouch thickness selection
Laminating range:	75-125mic (2x75mic – 2x125mic)
Laminating speed::	420mm /min
Lamination::	2-roller hot and cold lamination
Machine size:	360 x 112 x 65mm
Machine weight:	1,1kg
max. laminating width::	235mm
Power consumption:	400W
Preheating time::	1 minute
voltage:	230V /50Hz

PACKAGING INFORMATION

Barcode	5705831190917	Length	42 cm
BOSS notation	Pack I	Height	7 cm
Packaging contents	1	Width	12,5 cm
Weight in KG	1,2KG		

Barcode	5706002190910	Length	43 cm
BOSS notation	9 x Pack I	Height	23,5 cm
Packaging contents	9	Width	40 cm
Weight in KG	11,75KG		

Please note that weights and dimensions are indicative and can have slight variations due to each own manufacturing process variations.

COMMENTS & NOTES

Q-Connect A4 standard Laminator. Useful for laminating business cards, documents up to A4 in size. Short preheating time of 1 minute. Has a laminating speed of 420mm per minute and laminating range from 75 to 125mic. Maximum pouch width is 235mm. The laminator also has a Jam release at the back of the machine.