Q-CONNECT®

TECHNICAL DATA SHEET

Business Machines & Supplies - Laminating machines



GENERAL INFORMATION

KF number	KF19093
Description	A3 Professional laminator - EU plug (QA3pro3)
Country of origin	China
Intrastat number	84729090
Customs code	84729090
Eclass	24321501
Legislations	UKCA CE WEEE List of importers

TECHNICAL INFORMATION

Extra:	Jam release
Extra:	Auto power off (after 30min)
Extra:	reverse button (pouch jam)
Extra:	buttons 80/100/125mic
Laminating range:	75-150mic (2x75mic – 2x150mic)
Laminating speed::	480mm /min
Lamination::	4-roller hot and cold lamination
Machine size:	470 x 146 x 123mm
Machine weight:	3,3kg
max. laminating width::	320mm
Power consumption:	800W
Preheating time::	1 minute
Voltage::	220V /50Hz

PACKAGING INFORMATION

Barcode	5705831190931	**Length**	51,5 cm
BOSS notation	Pack 1	**Height**	16,8 cm
Packaging contents	1	**Width**	18,5 cm
Weight in KG	3,9KG		

Barcode	5706002190934	**Length**	53 cm
BOSS notation	4 x Pack 1	**Height**	37 cm
Packaging contents	4	**Width**	39 cm
Weight in KG	16,75KG		

Please note that weights and dimensions are indicative and can have slight variations due to each own manufacturing process variations.

Comments & Notes

Q-Connect A3 professional Laminator. Useful for laminating business cards, documents and posters up to A3 in size. Short preheating time of 1 minute. Hot and cold lamination. Has a laminating speed of 480mm per minute and laminating range from 75 to 150mic. Maximum pouch width is 320mm. Has a Jam release reverse button and auto shut-off after 30 minutes.