

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/22/2015 Revision date: 2/20/2023 Supersedes version of: 10/15/2021 Version: 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Adhesive Remover
UFI : UH0J-E3JE-N408-99Y1

Product code : ER50015
Type of product : Detergent
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Function or use category : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

ERES-SAPOLI N.V.

Tulpenstraat 6

BE-9810 Eke-Nazareth

Belgium

T +32 (0)9 385 59 11

info@eres.sapoli.be - www.eres-sapoli.be

## 1.4. Emergency telephone number

Emergency number : +32 (0)9 385 59 11

Opening hours: Monday - Thursday: 8:30-17:00; Friday 8:30-15:00.

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226 Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes serious eye irritation.

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS07

Signal word (CLP) : Warning Hazard statements (CLP) : H226 - F

(CLP) : H226 - Flammable liquid and vapour.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

No smoking

P264 - Wash hands thoroughly after handling.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propan-2-ol substance with a Community workplace exposure limit	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	10 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
N,N-dimethyl 9-decenamide	CAS-No.: 1356964-77-6 EC-No.: 806-919-0 REACH-no: 01-2120058432- 61	1 – 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412
Alcohols, C12-14, ethoxylated, propoxylated	CAS-No.: 68439-51-0 EC-No.: 931-986-9	1 – 10	Aquatic Chronic 3, H412
Alcohols, C12-14, ethoxylated (>5-12 EO)	CAS-No.: 68439-50-9 EC-No.: 500-213-3	1 – 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Prevent fire fighting water from entering the environment. Exercise caution when fighting

any chemical fire.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

2/20/2023 (Revision date) EN (English) 3/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Propan-2-ol (67-63-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	500 mg/m³	
IOEL TWA [ppm]	200 ppm	
IOEL STEL	1000 mg/m³	
IOEL STEL [ppm]	400 ppm	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

# Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves. In case of repeated or prolonged contact wear gloves

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour clear. Colourless. Odour characteristic. : Not available Odour threshold Melting point : Not applicable Freezing point Not available Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit Not available : 41 °C Flash point : Not available Auto-ignition temperature

: Not available Decomposition temperature рΗ : 10.8 (10.3 – 11.3) Viscosity, kinematic : Not available Viscosity, dynamic : ≤ 0 cP Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available

Density : 0.99 (0.94 – 1.04) g/ml

Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

# 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Flammable liquid and vapour.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Additional information :	Based on available data, the classification criteria are not met
N,N-dimethyl 9-decenamide (1356964-77-6)	
LD50 oral rat	550 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 3551 mg/l/4h
ATE CLP (oral)	550 mg/kg bodyweight
Propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rabbit	13900 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 Inhalation - Rat	20 mg/l 8h
LC50 Inhalation - Rat [ppm]	> 10000 ppm
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l
LC50 Inhalation - Rat (Vapours)	> 25 mg/l/4h

ATE CLP (oral)

ATE CLP (dermal)

ATE CLP (vapours)

ATE CLP (dust,mist)

LD50 oral rat	> 2000 mg/kg
ATE CLP (oral)	500 mg/kg bodyweight

4396 mg/kg bodyweight

12800 mg/kg bodyweight

20 mg/l/4h 20 mg/l/4h

## Alcohols, C12-14, ethoxylated, propoxylated (68439-51-0)

Ckin correction/irritation	. Not alposified
LD50 oral rat	> 2000 mg/kg

Skin corrosion/irritation : Not classified pH: 10.8 (10.3 – 11.3)

pH 8 (7 – 9)

## Alcohols, C12-14, ethoxylated (>5-12 EO) (68439-50-9)

pH 5 – 7 (20g/l, 20°C)

# Alcohols, C12-14, ethoxylated, propoxylated (68439-51-0)

pH ≈ 6 (6 – 7.5)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation.

pH: 10.8 (10.3 - 11.3)

N,N-dimethyl 9-decenamide (1356964-77-6)

pH 8 (7 – 9)

Alcohols, C12-14, ethoxylated (>5-12 EO) (68439-50-9)

pH 5 – 7 (20g/l, 20°C)

Alcohols, C12-14, ethoxylated, propoxylated (68439-51-0)

pH  $\approx 6 (6 - 7.5)$ 

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Propan-2-ol (67-63-0)

NOAEL (chronic, oral, animal/female, 2 years) 400 mg/kg bodyweight

Reproductive toxicity : Not classified

Propan-2-ol (67-63-0)

 NOAEL (animal/male, F0/P)
 500 (≤ 853) mg/kg

 NOAEL (animal/female, F0/P)
 500 (≤ 853) mg/kg

STOT-single exposure : Not classified

N,N-dimethyl 9-decenamide (1356964-77-6)

STOT-single exposure May cause respiratory irritation.

Propan-2-ol (67-63-0)

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

N,N-dimethyl 9-decenamide (1356964-77-6)

Viscosity, kinematic 4.484 mm²/s

Propan-2-ol (67-63-0)

Viscosity, kinematic 3.181 mm²/s

Alcohols, C12-14, ethoxylated (>5-12 EO) (68439-50-9)

Viscosity, kinematic ≈ 81.633 mm²/s

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

-h------

(chronic)

: Not classified

2/20/2023 (Revision date) EN (English) 7/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

N,N-dimethyl 9-decenamide (1356964-77-6)			
LC50 - Fish [1]	> 7.5 mg/l		
EC50 - Crustacea [1]	2.8 mg/l		
EC50 72h - Algae [1]	5.6 mg/l		
EC50 96h - Algae [1]	> 9 mg/l		
NOEC chronic fish	≥ 0.71 mg/l		
NOEC chronic crustacea	0.28 mg/l		
NOEC chronic algae	1.1 mg/l		
Propan-2-ol (67-63-0)			
LC50 - Fish [1]	9640 mg/l		
LC50 - Fish [2]	> 100 mg/kg		
EC50 - Crustacea [1]	> 100 mg/l		
EC50 - Crustacea [2]	9714 mg/l		
EC50 72h - Algae [1]	> 100 mg/l		
Alcohols, C12-14, ethoxylated (>5-12 EO) (684	39-50-9)		
LC50 - Fish [1]	9.99 mg/l		
EC50 - Crustacea [1]	9.99 mg/l		
EC50 72h - Algae [1]	1 – 10 mg/l		
Alcohols, C12-14, ethoxylated, propoxylated (68439-51-0)			
LC50 - Fish [1]	> 10 (≤ 0) mg/l		
EC50 - Crustacea [1]	> 10 mg/l		
EC50 72h - Algae [1]	> 1 (≤ 10) mg/l		
	•		

# 12.2. Persistence and degradability

12.2.1 el sistembe and degradability			
Adhesive Remover			
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.		
N,N-dimethyl 9-decenamide (1356964-77-6)			
Persistence and degradability	Readily biodegradable in water.		
Propan-2-ol (67-63-0)			
Persistence and degradability	Not established.		
Biodegradation	53 %		
Alcohols, C12-14, ethoxylated (>5-12 EO) (68439-50-9)			
Persistence and degradability	Not established.		
Alcohols, C12-14, ethoxylated, propoxylated (68439-51-0)			
Biodegradation	> 60 %		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.3. Bioaccumulative potential

N,N-dimethyl 9-decenamide (1356964-77-6)		
Partition coefficient n-octanol/water (Log Pow)	3.17	
Propan-2-ol (67-63-0)		
BCF - Fish [1]	< 100	
Partition coefficient n-octanol/water (Log Pow)	0.05	
Bioaccumulative potential	Not established.	
Alcohols, C12-14, ethoxylated (>5-12 EO) (68439-50-9)		
Bioaccumulative potential	Not established.	

## 12.4. Mobility in soil

Propan-2-ol (67-63-0)	
Surface tension	22.7 mN/m

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III	UN 1993 Flammable liquid, n.o.s., 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III
14.3. Transport hazard class(es)				
3	3	3	3	3

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
3	3	3	3	3
4.4. Packing group				
III	III	III	III	III
4.5. Environmental haz	zards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

## 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1
Special provisions (ADR) : 274, 601
Limited quantities (ADR) : 51
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Hazard identification number (Kemler No.) : 30
Orange plates :

30 1993

Tunnel restriction code (ADR) : D/E

#### Transport by sea

Special provisions (IMDG) : 223, 274, 955

Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG) Packing instructions (IMDG) LP01, P001 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 EmS-No. (Fire) F-E EmS-No. (Spillage) : S-E Stowage category (IMDG) : A

#### Air transport

: E1 PCA Excepted quantities (IATA) PCA Limited quantities (IATA) Y344 PCA limited quantity max net quantity (IATA) 10L PCA packing instructions (IATA) 355 PCA max net quantity (IATA) 60L CAO packing instructions (IATA) 366 CAO max net quantity (IATA) 220L Special provisions (IATA) : A3

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ERG code (IATA) : 3L

Inland waterway transport

: F1 Classification code (ADN) : 274, 601 Special provisions (ADN) Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : F1
Special provisions (RID) : 274, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3.	N,N-dimethyl 9-decenamide; Propan-2-ol; Alcohols, C12-14, ethoxylated (>5-12 EO)	
3(a)	Propan-2-ol	
3(b)	Adhesive Remover; N,N-dimethyl 9-decenamide; Propan-2-ol; Alcohols, C12-14, ethoxylated (>5-12 EO); Propan-2-ol; Alcohols, C12-14, ethoxylated (>5-12 EO)	
3(c)	N,N-dimethyl 9-decenamide ; Alcohols, C12-14, ethoxylated (>5-12 EO) ; N,N-dimethyl 9-decenamide	
40.	Propan-2-ol ; Propan-2-ol	

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.